



DUAL WALL FABRICATED 45° BENDS
 36" - 60" DIAMETER

PIPE SIZE	A	JOINT
36 in (900 mm)	29.3 in (745 mm)	.
36 in (900 mm)	13.6 in (345 mm)	WT
42 in (1050 mm)	31.1 in (791 mm)	.
42 in (1050 mm)	19.2 in (487 mm)	WT
48 in (1200 mm)	30.2 in (767 mm)	.
48 in (1200 mm)	19.7 in (500 mm)	WT
60 in (1500 mm)	42.0 in (1067 mm)	.
60 in (1500 mm)	24.0 in (610 mm)	WT

. = PLAIN END
 WT = WATER TIGHT



NOTE: ALL FITTINGS DIMENSIONS ARE FOR REFERENCE ONLY



Office Address

No.18, Mina Blvd., Africa St, Tehran/Iran
 Tel: (+98 - 21) 88 20 20 60 (50 Lines) Fax: (+98 - 21) 88 20 20 81

info@parsethylene-kish.com
 www.parsethylene-kish.com

DUAL WALL FABRICATED 45° BENDS
 4" - 30" DIAMETER

PIPE SIZE	A	JOINT
4 in (100 mm)	4.2 in (107 mm)	.
6 in (150 mm)	5.0 in (126 mm)	.
8 in (200 mm)	6.7 in (170 mm)	.
10 in (250 mm)	7.5 in (189 mm)	WT
12 in (300 mm)	11.5 in (293 mm)	.
12 in (300 mm)	5.8 in (146 mm)	WT
15 in (375 mm)	13.0 in (329 mm)	.
15 in (375 mm)	7.8 in (197 mm)	WT
18 in (450 mm)	17.4 in (443 mm)	.
18 in (450 mm)	6.7 in (170 mm)	WT
24 in (600 mm)	22.1 in (560 mm)	.
24 in (600 mm)	9.5 in (240 mm)	WT
30 in (750 mm)	25.8 in (656 mm)	.
30 in (750 mm)	13.5 in (342 mm)	WT



. = PLAIN END
 WT = WATER TIGHT

NOTE ALL FITTINGS DIMENSIONS ARE FOR REFERENCE ONLY

Office Address ■

No.18, Mina Blvd., Africa St, Tehran/Iran
 Tel: (+98 - 21) 88 20 20 60 (50 Lines) Fax: (+98 - 21) 88 20 20 81



info@parsethylene-kish.com
 www.parsethylene-kish.com

DUAL WALL FABRICATED MITERED 45° BENDS
12" - 30" DIAMETER

PIPE SIZE	A	B	JOINT
12 in (300 mm)	9.6 in (244 mm)	7.7 in (195 mm)	*
12 in (300 mm)	5.8 in (146 mm)	7.7 in (195 mm)	ST
12 in (300 mm)	5.8 in (146 mm)	7.7 in (195 mm)	WT
15 in (375 mm)	13.1 in (334 mm)	8.5 in (216 mm)	*
15 in (375 mm)	5.4 in (137 mm)	8.5 in (216 mm)	ST
15 in (375 mm)	5.4 in (137 mm)	8.5 in (216 mm)	WT
18 in (450 mm)	14.3 in (363 mm)	8.6 in (219 mm)	*
18 in (450 mm)	6.9 in (174 mm)	8.6 in (219 mm)	ST
18 in (450 mm)	6.9 in (174 mm)	8.6 in (219 mm)	WT
24 in (600 mm)	18.9 in (480 mm)	12.6 in (320 mm)	*
24 in (600 mm)	9.5 in (240 mm)	12.6 in (320 mm)	ST
24 in (600 mm)	9.5 in (240 mm)	12.6 in (320 mm)	WT
30 in (750 mm)	17.9 in (455 mm)	15.2 in (386 mm)	*
30 in (750 mm)	9.7 in (245 mm)	15.2 in (386 mm)	ST
30 in (750 mm)	9.7 in (245 mm)	15.2 in (386 mm)	WT

* = PLAIN END
ST = SOIL TIGHT
WT = WATER TIGHT

NOTE: ALL FITTINGS DIMENSIONS ARE FOR REFERENCE ONLY





DUAL WALL FABRICATED MITERED 45° BENDS
 36" - 60" DIAMETER

PIPE SIZE	A	B	JOINT
36 in (900 mm)	21.5 in (546 mm)	17.3 in (439 mm)	*
36 in (900 mm)	11.2 in (285 mm)	17.3 in (439 mm)	ST
36 in (900 mm)	11.2 in (285 mm)	17.3 in (439 mm)	WT
42 in (1050 mm)	24.9 in (632 mm)	18.7 in (474 mm)	*
42 in (1050 mm)	14.5 in (369 mm)	18.7 in (474 mm)	ST
42 in (1050 mm)	14.5 in (369 mm)	18.7 in (474 mm)	WT
48 in (1200 mm)	24.4 in (620 mm)	22.6 in (574 mm)	*
48 in (1200 mm)	13.9 in (353 mm)	22.6 in (574 mm)	ST
48 in (1200 mm)	13.9 in (353 mm)	22.6 in (574 mm)	WT
60 in (1500 mm)	33.2 in (844 mm)	24.5 in (622 mm)	*
60 in (1500 mm)	15.2 in (387 mm)	24.5 in (622 mm)	ST
60 in (1500 mm)	15.2 in (387 mm)	24.5 in (622 mm)	WT

* = PLAIN END
 ST = SOIL TIGHT
 WT = WATER TIGHT

NOTE: ALL FITTINGS DIMENSIONS ARE FOR REFERENCE ONLY



Office Address ■

No.18, Mina Blvd., Africa St, Tehran/Iran
 Tel: (+98 - 21) 88 20 20 60 (50 Lines) Fax: (+98 - 21) 88 20 20 81

info@parsethylene-kish.com
 www.parsethylene-kish.com